

Fontana Oil Rubbed Bronze Touch less Automatic Sensor Faucet & Manual Soap Dispenser



BEFORE YOU BEGIN

Before you begin, please read the installation instructions below. Observe all local building and safety codes.

Unpack and inspect the items for any shipping damages. If you find damages, do not install.

Please note all products must be installed by a professional and certified plumber otherwise warranty might be voided.

POSSIBLE TOOLS REQUIRED*



Plumbers Tape



Tape Measure



Level



Adjustable Wrench



Hex Wrench



Thread Sealant



Drill



Pencil or Marker



Screwdriver


*not included

Fontana Sensor Faucets®


Technical Information

Material: Brass
 Rotation: 360 Degree Rotation
 Feature 1: High-pressure Pull out Sprayer
 Feature 2: Single Handel Mixer Tap Kitchen Sink Faucet
 Feature 3: 360 Swivel
 Valve Core Material: Ceramic
 Type: Ceramic Plate Spool
 Installation Type: Deck Mounted
 Surface Treatment: Brushed
 Number of Handles: Single Handle
 Style: Dual Holder Dual Hole
 Style: Contemporary
 Spray Type: Pull Down
 Cold & Hot Water: Yes
 Number of Holes for Installation: 2 Holes



Faucet Size



Faucet Deck Mount Installation




Hole Size Chart




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

Installations Instructions


Step 1:




Step 2:



Step 3:



Step 4:





Flexible Connecting Hose

Care must be taken when connecting the flexible connection hose from the power supply box to the spout to ensure it does not bend sharply and kink or twist.

See below for recommended ways to fit the flexible connecting hose.

Important: Failure to follow these guidelines may result in poor performance and damage to the flexible connection hose.



Care & Cleaning

1. The product can be cleaned with warm water, a mild soap and a clean soft cloth.
2. Clean progressively and gently.
3. It is not required to use any abrasive cleaning pads, wire wool or micro-fiber cloths to clean the product.
4. Avoid a vigorous cleaning action, as this could contribute to denaturing and dulling the finish.
5. Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

6. If using a spray cleaner, apply the cleaning agent onto a soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage. Do not allow the cleaner to remain on the product for a period of time. After cleaning, rinse thoroughly with clean water.

