

## FONTANA RAINFALL & MIST SHOWER HEAD SET WITH SHOWER BODY SPRAYS SPECS



#### **Specifications**

INLET AND OUTLET: G1/2" X G1/2"

SHAPE: SQUARE

MATERIAL: STAINLESS STEEL

FINISH: CHROME

MATERIALS: SOLID BRASS

#### **Shower Head Size:**

20"

Flow Rate

2.5 GPM / 9.5 LPM (rain Shower);

The LED light will change its color by detecting water temperature:

0-30°C (32-86°F): Blue LED

30-40°C (86-104°F): Green LED 40-50°C (104-122°F): Red LED

50-100°C (122-212°F): Flashing Red LED


Note: The LED lights are powered by water flow, and will be activated once the water is turned on.

20"



# Fontana Showers o-


#### **Hand Shower Size:**




The minimum required water pressure is 0.05 MPa (0.5 bar).

Flow rate 2.5 GPM (9.5 LPM).

### **Mixer Size:**









## **Body Shower Size:**



### Specifications:

Thread Interface Size: G 1/2 Inch

Function: Rainfall

Shower Head Feature: Water Saving

Shower Heads

Type: Fixed Rotatable Type
Installation Type: Wall Mounted

Size: 50\* 50 mm(2 inch)

Material: Brass

Feature: Can rotate 360 degrees Flow Rate: 1.5 GPM / 5.7 LPM (each

Bodyspray)

#### Size:

