

BRAVAT LIGHT OIL RUBBED BRONZE SHOWER SET WITH VALVE MIXER 3-WAY CONCEALED WALL MOUNTED SPECIFICATIONS




Hand Shower

The minimum required water pressure is 0.05 MPa (0.5 bar). Flow rate 2.5 GPM (9.5 LPM).

> 7.68" (195 mm)

Shower Head




8/10/12/16 inch


Available in multiple sizes


1/2" NPT inlets Easy clean nozzles Flow Rate: 9.5L/min 2.5 GPM

No tools required, G1/2" connector fits standard sized shower plumbing



Body Jets





Thread Interface Size: G 1/2 Inch

Type: Fixed Rotatable Type

Installation Type: Wall Mounted

Material: Brass

Feature: Can rotate 360 degrees

Flow Rate: 1.5 GPM / 5.7 LPM (each Bodyspray)


All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

Fontana Showers 6-

Shower Mixer

This technical product information is exclusively for the installer or trained specialists.

Application: Operation with unpressurized storage heaters is not possible. Use for indoor public places and common residence.



Specifications

Flow pressure: min. 0.5 bar

recommended 1 – 5 bar

Operating pressure: max. 10 bar

Test pressure: 16 bar


Flow rate at 3 bar flow pressure

for bath: ≥ 19.8 L/min for shower: ≥ 12 L/min

Hot water inlet temperature: max. 80°C Recommended (energy saving): 60°C Environment temperature: 5°C~45°C

If static pressure exceeds 5 bar, a pressure-reducing valve must be fitted. Avoid major pressure differences between hot and cold water supply.

Shower Mixer Connections





Installation:

Flush piping system prior and after installation of fitting thoroughly!

Fitting a temperature limiter is possible.



Function:

Check connections for leaks and check function of fitting.

Flow is diverted automatically from shower outlet to bath inlet when the fitting is closed.



Maintenance:

Inspect and clean all components and replace if necessary.

Shut off water supply for maintenance work.



When installing the cartridge, ensure that the seals are correctly seated.

Tighten the screws evenly and alternately.

