

## BRAVAT WALL MOUNTED ROUND SHOWER SET WITH VALVE MIXER 3-WAY CONCEALED & BODY JETS SPECIFICATIONS




#### **Hand Shower**

The minimum required water pressure is 0.05 MPa (0.5 bar). Flow rate 2.5 GPM (9.5 LPM).

> 7.68" (195 mm)


#### **Shower Head**




### Available in multiple sizes

1/2" NPT inlets Easy clean nozzles Flow Rate: 9.5L/min 2.5 GPM

#### **Body Jets**





Thread Interface Size: G1/2 Inch

Function: Rainfall

Type: Fixed Rotatable Type Installation Type: Wall Mounted

Size: 50\* 50 mm (2 inch)

Material: Brass

Feature: Can rotate 360 degrees

Flow Rate: 1.5 GPM / 5.7 LPM (each Bodyspray)


All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

# Fontana Showers -

#### **Shower Mixer**

This technical product information is exclusively for the installer or trained specialists.

Application: Operation with unpressurized storage heaters is not possible. Use for indoor public places and common residence.



#### **Specifications**

Flow pressure: min. 0.5 bar

recommended 1 – 5 bar

Operating pressure: max. 10 bar


Test pressure: 16 bar

Flow rate at 3 bar flow pressure for bath: approx. 21.5 L/min for shower: approx. 18 L/min

Hot water inlet temperature: max. 80°C Recommended (energy saving): 60°C Environment temperature: 5°C~45°C

If static pressure exceeds 5 bar, a pressure-reducing valve must be fitted. Avoid major pressure differences between hot and cold water supply.

#### **Shower Mixer Connections**





Installation:

Flush piping system prior and after installation of fitting thoroughly!

Fitting a temperature limiter is possible.



Function:

Check connections for leaks and check function of fitting.

Flow is diverted automatically from shower outlet to bath inlet when the fitting is closed.



Maintenance:

Inspect and clean all components and replace if necessary.

Shut off water supply for maintenance work.



When installing the cartridge, ensure that the seals are correctly seated.

Tighten the screws evenly and alternately.

